



SR8A

Crimp type strain relief for cable O.D. 3 - 3.8 mm

Special crimp type strain relief establishes an ideal circumferential connection of the cable shield to the connector shell as required by best EMC working practice.

Crimp standard: 5.41 mm / IEC 803

The modular system of the miniCON series offers the possibility to assemble a desired connector from a wide range of various parts. Including additional parts for special versions (e.g. cable connector extension, crimp set, ...).

The neutriCON connectors are designed for multipin/industrial applications in harsh and demanding environment. The very robust all metal circular connector offers easy and screwless assembly, flexible part combination and a push-pull locking mechanism.

Features & Benefits

- ✓ Contact configuration can be selected from 1 to 8 contacts
- ✓ Easy assembly: Contact soldering / crimping in disassembled condition avoids awkward wiring of high density contacts.
- ✓ Precise and robust all metal housing
- ✓ Push-pull self-locking system
- ✓ Coding system possible (polarization)

Polarization


Housing: Two variants of metal polarizing guides (90° and 180°).

Coding 90°

Coding 180°

Insert: The male and female insert can be assembled in all three housings.

Modular System



Technical Information

Product		
Title	SR8A	
Connection Type	neutriCON	

Mechanical	
Crimp size	5,41 Hex crimp (shield) acc. IEC 60803 (die designation D)
Wiresize	