SR8A

Crimp type strain relief for cable O.D. 3 - 3.8 mm

Special crimp type strain relief establishes an ideal circumferential connection of the cable shield to the connector shell as required by best EMC working practice.

Crimp standard: 5.41 mm / IEC 803

The modular system of the miniCON series offers the possibility to assemble a desired connector from a wide range of various parts. Including additional parts for special versions (e.g. cable connector extension, crimp set, ...).

The neutriCON connectors are designed for multipin/industrial applications in harsh and demanding environment. The very robust all metal circular connector offers easy and screwless assembly, flexible part combination and a push-pull locking mechanism.

Features & Benefits

- Contact configuration can be selected from 1 to 8 contacts
- Easy assembly: Contact soldering / crimping in disassembled condition avoids awkward wiring of high density contacts.
- Precise and robust all metal housing
- Push-pull self-locking system
- Coding system possible (polarization)

All rights reserved / 12.10.2024

NEUTRIK

Polarization

Housing: Two variants of metal polarizing guides (90° and 180°).

Coding 90°





Coding 180°

Insert: The male and female insert can be assembled in all three housings.

Modular System



All rights reserved / 12.10.2024

NEUTRIK

Technical Information

Product	
Title	SR8A
Connection Type	neutriCON

Mechanical	
Crimp size	5,41 Hex crimp (shield) acc. IEC 60803 (die designation D)
Wiresize	

All rights reserved / 12.10.2024