



## SR8B

Crimp type strain relief for cable O.D. 6 - 7 mm

Special crimp type strain relief establishes an ideal circumferential connection of the cable shield to the connector shell as required by best EMC working practice.

Crimp standard: 7.01 mm / IEC 803

The modular system of the miniCON series offers the possibility to assemble a desired connector from a wide range of various parts. Including additional parts for special versions (e.g. cable connector extension, crimp set, ...).

The neutriCON connectors are designed for multipin/industrial applications in harsh and demanding environment. The very robust all metal circular connector offers easy and screwless assembly, flexible part combination and a push-pull locking mechanism.


## Features & Benefits

- Contact configuration can be selected from 1 to 8 contacts
- Easy assembly: Contact soldering / crimping in disassembled condition avoids awkward wiring of high density contacts.
- Precise and robust all metal housing
- Push-pull self-locking system
- Coding system possible (polarization)


## Polarisation

**Gehäuse:** Zwei verschiedene Polarisierungen (90° and 180°).

**Kodierung 90°**




**Kodierung 180°**



**Einsatz:** Stecker- und Buchseneinsatz kann in alle 3 Gehäuse montiert werden.

## Modular System



## Technical Information

Product	
<b>Title</b>	SR8B
<b>Connection Type</b>	neutriCON

Mechanical	
<b>Crimp size</b>	7,01 Hex crimp (shield) acc. IEC 60803 (die designation F)
<b>Wiresize</b>	