



SR8B

Crimp type strain relief for cable O.D. 6 - 7 mm

Special crimp type strain relief establishes an ideal circumferential connection of the cable shield to the connector shell as required by best EMC working practice.

Crimp standard: 7.01 mm / IEC 803

The modular system of the miniCON series offers the possibility to assemble a desired connector from a wide range of various parts. Including additional parts for special versions (e.g. cable connector extension, crimp set, ...).

The neutriCON connectors are designed for multipin/industrial applications in harsh and demanding environment. The very robust all metal circular connector offers easy and screwless assembly, flexible part combination and a push-pull locking mechanism.

Features & Benefits

- ✓ Contact configuration can be selected from 1 to 8 contacts
- ✓ Easy assembly: Contact soldering / crimping in disassembled condition avoids awkward wiring of high density contacts.
- ✓ Precise and robust all metal housing
- ✓ Push-pull self-locking system
- ✓ Coding system possible (polarization)


Polarisation

Gehäuse: Zwei verschiedene Polarisationen (90° and 180°).

Kodierung 90°




Kodierung 180°



Einsatz: Stecker- und Buchseneinsatz kann in alle 3 Gehäuse montiert werden.

Modular System



Technical Information

Product	
Title	SR8B
Connection Type	neutriCON

Mechanical	
Crimp size	7,01 Hex crimp (shield) acc. IEC 60803 (die designation F)
Wiresize	